

# U-Link

2MP Bullet Camera VF lens, IR 40m

## UL-2BIR40EV-AHD



### FEATURES

1/3" CMOS F37P

Lens : 2.8-12mm focal length

Infrared Distance 40m

IP 66 Metal Housing



2MP Bullet Camera VF lens, IR 40m

# UL-2BIR40EV-AHD



## SPECIFICATION

### Camera

Image Sensor	1/3" CMOS F37P
Resolution	2MP
Effective Pixels	1920(H) x 1080(V)
Illumination	0.1 lux color ,0.01 lux Black and white
TV System	PAL/NTSC
Electronic Shutter	1/25s~1/50,000s , 1/30s~1/60,000s
S/N Ratio	≥50dB
Scanning System	Progressive

### Night Vision

Infrared LED	28μX 6PCS
Infrared Distance	40m
IR Status	Under 10 Lux By CDS
IR Power On	CDS Auto Control

### Lens

Length	2.8-12mm
Pixels	2MP
Auto Iris support	No

### Camera Features

Day/Night	Yes
OSD Menu Language	Yes
White Balance	AUTO / MANUAL
Gain Control	AUTO
Noise Reduction	3DNR
OSD Support	Option
UTC	Yes
Dip Switch	Option



2MP Bullet Camera VF lens, IR 40m

# UL-2BIR40EV-AHD



General	
Housing	Metal housing IP 66
Housing color	White
Dual Voltage	DC-12V
IR Cut Filter	YES
Operation Temperature	-20°C~+50°C RH95% Max
Storage Temperature	-30°C~+50°C RH95% Max
Power Source	DC12V±10%, 550mA
Dimension	290(W) x 78(H) x 80(D)mm
Weight	1400g